

**ICE | SANDSTONE | GREYSTONE | CHARCOAL**

	ICE SANDSTONE GREYSTONE	CHARCOAL	
<b>PEDESTRIAN PAVERS</b>			
Patio Pave 30 400x400x30mm	34	40	m2
Square Paver 400x400x40mm	37	--	m2
Luxe Paver 600x400x40mm	49	--	m2
<b>POOL, WALL &amp; STEP CAPPING</b>			
270 Seamless Capping 270x400x30mm	27	33	Lm
270 4 Sided Seamless Capping 270x400x30mm	27	33	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm	31	38	Lm
400 4 Sided Seamless Capping 400x400x40mm	31	38	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
270 Retro Bullnose 270x400x40mm	34	--	Lm
Corners to suit 270 Retro Bullnose 270x400x40mm	34	--	each
<b>VEHICULAR TRAFFIC PAVERS</b>			
Square Paver 400x400x60mm (sold per pallet of 11.65m2 only)	43	49	m2

**ABROLHOS | METRO**

<b>PEDESTRIAN PAVERS</b>			
Square 400x400x30mm		56	m2
Luxe 600x400x30mm		66	m2
Circle Steppers 600, 400 or 250 x40mm		55	each
<b>POOL, WALL &amp; STEP CAPPING</b>			
270 Seamless Capping 270x400x30mm		47	Lm
270 4 Sided Seamless Capping 270x400x30mm		36	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
400 Seamless Capping 400x400x40mm		52	Lm
400 4 Sided Seamless Capping 400x400x40mm		40	each
Use as External Corner, Double Sided, Stepping Stone or End Piece			
<b>VEHICULAR TRAFFIC PAVERS</b>			
Square 400x400x60mm (sold per pallet of 11.65m2 only)		69	m2
Luxe 600x400x60mm (sold per pallet of 9.12m2 only)		82	m2
Rectangle 200x400x60mm		77	m2
Tactiles 400x400x60mm Off-form 2023 compliant design (Custom thickness possible)		75	m2
Multi Spec Tactiles 600x400x60mm Off-form 2023 compliant design (Custom thickness possible)		80	m2

**OCEAN BLUESTONE**

Paver 600x300x25mm	78	m2
Capping 600x300x25mm	41	Lm

**DESIGNOPAVE - MONACO | SILVERTINO | BORDEAUX | SANTORINI | WHITE GRANITO | GREY GRANITO | BLACK GRANITO**

Paver 600x300x20mm	65	m2
Capping 600x300x20mm	48	Lm

**DESIGNOPAVE - JARRAHWASH | DRIFTWOOD**

Planks 1200x200x20mm	73	m2
Capping 1200x200x20mm	53	Lm

**ROMA TRAVERTINE**

French Pattern Paver Sets x 30mm	88	m2
Rectangle Paver 610x305x30mm	94	m2
Capping 610x305x30mm	45	Lm
Lip Capping 610x305x30mm	105	Lm

**PRIMO TRAVERTINE**

French Pattern Paver Sets x 30mm	94	m2
Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

**ATLANTIS TRAVERTINE**

French Pattern Paver Sets x 30mm	109	m2
Rectangle Paver 610x305x30mm	119	m2
Capping 610x305x30mm	58	Lm

**ARCTIC MARBLE**

Rectangle Paver 610x305x30mm	99	m2
Capping 610x305x30mm	48	Lm

**BLUESTONE STEPPER**

Honed Irregular Shape Stepping Stone Approx. 500 - 700x30mm	69	each
---	----	------

**HAWAIIAN SWIRL | EVEREST | WHITE QUARTZ | COPPER**

Face Panels	97	m2
Corner Pieces	16	each

**OTHER ITEMS AND SERVICES**

Paving Join Grout Powder 20kg bag sweep in and wet to set anti weed / ant deter gel	22	each
Pool Skimmer Lid Kit 305x305mm stainless base, lid, key and stone insert.	399	each
Stone Adhesive Tube 660ml stone to fibre glass, hardboard or stone surfaces	17	each
Adhesive Tube Gun canister style to dispense adhesive	17	each

Part Pallet Build for under half pallet orders strap, labour & bag cost	20	each
Metro/Outer Delivery to verge. Min Cost \$150/\$180. 3 Pallets \$180/\$225. 4 or more pallet loads.	45/60	each
Pallet Bond refund processed on return by client to Freo Stone with invoice #	40	each

**All deliveries are to verge only and not beyond, to avoid property damage regardless of owners permission**

Sizes are approximate and no works should be started without your specific stone purchase in hand  
 Freo Stone products are sold to order with notice by full piece, set, carton, bag or box nearest to units required  
**SEALING Stones can be damaged by some sealers and the bulk of our range we do not recommend sealing at all**  
 Please seek advice from our team or website to avoid damaging your stone by trusting generic labelling  
**Prices are ex Bibra Lake factory** and outside Perth Metro Delivery may require extra packaging at extra cost  
 Prices are inc G.S.T. subject to change at any time and seeking a recent valid quotation is advised

**MAR25RP**





**like concrete, but classy...**



**Your outdoor space deserves to be different...**



# W.A. Made... coastal comfort



**Ice**



**Sandstone**




**Greystone**



**Abrolhos**



**Charcoal**



**Metro**


## Available in



**SQUARE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30mm & 60mm



**LUXE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
40mm  
(Abrolhos & Metro  
30mm & 60mm)




**RECTANGLE PAVER**  
SIZE 400 x 200mm  
THICKNESS  
60mm (Abrolhos & Metro only)


## NEW



**MULTI SPEC TACTILE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**HAZARD TACTILE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**DIRECTIONAL TACTILE PAVER**  
SIZE 400 x 400mm  
THICKNESS  
30, 40, 50 & 60mm



**Pave Set - Sweep in and "wet to set" join powder.**  
Ensuring low maintenance whilst maintaining a classy finish with genuine pavers, not site poured imitations.

Allowing easy paver removal for:


- access to water pipes & wires
- fence / patio post installations
- garden design changes
- extreme stain paver swaps
- colour matching old selections




**CIRCLE STEPPERS**  
SIZE  
600, 400 & 250mm  
THICKNESS 40mm

**The lighter the colour, the cooler under your feet...**






Use also for




**270  
SEAMLESS CAPPING**

SIZE 400 x 270mm

THICKNESS 30mm




Use also for



**270 4 SIDED  
SEAMLESS CAPPING**


SIZE 400 x 270mm

THICKNESS 30mm




External Corner

2 Sided,  
End Piece or  
Stepping Stone




Use also for




**400  
SEAMLESS CAPPING**

SIZE 400 x 400mm

THICKNESS 30mm




Use also for



**400 4 SIDED  
SEAMLESS CAPPING**


SIZE 400 x 400mm

THICKNESS 30mm



External Corner

2 Sided,  
End Piece or  
Stepping Stone



**RETRO  
BULLNOSE  
CAPPING**



SIZE 400 x 270mm

THICKNESS 40mm



## Freo Skimmer Lid Kits... a superior finish

- ✓ More attractive, central keyhole to avoid edge chipping.
- ✓ Marine grade stainless steel, to suit most Freo Stone Pavers.
- ✓ Compliant with Australian Pool Safety Standard 1926.3 2010.
- ✓ Order to be delivered with your Pool Capping Kits.





# Travertine & Marble... a genuine slice of Europe



## RECTANGLE PAVER

**SURFACE** Honed then tumbled

**SIZE** 610 x 305mm

**THICKNESS** 30mm



## FRENCH PATTERN PAVERS

**SURFACE** Honed then tumbled

**SIZE** Consisting of 203 x 203, 406 x 406, 406 x 203, 610 x 406mm

**THICKNESS** 30mm  
(not available in Arctic)



## CAPPING

**SURFACE** Honed then tumbled

**SIZE** 610 x 305mm

**THICKNESS** 30mm



## ROMA OVERHANGING LIP CAPPING

**SURFACE** Honed then tumbled  
(Tumbled natural cored edges.)

**SIZE** 610 x 305 x 80mm

**THICKNESS** 30mm



**Roma**



Quality stone cut from Europe's best quarries.



Can be easily installed onto a sand base.



Lightly textured surfaces providing grip and comfort.



Stunning variations of colour throughout each project.



**ROMA**





**PRIMO**



**ARCTIC  
MARBLE**



**ATLANTIS**







**Primo**



**Arctic Marble**



**Atlantis**



# DesignoPave... non-slip porcelain pavers



Non-slip surface and no sealing required.

Lay straight onto sand, cracker dust, concrete or plastic pedestals.

Strength far superior to stone of even greater thickness.

Realistic durable alternatives to natural timber and granite.



## JARRAHWASH

Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



## SILVERTINO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm

**NEW**



## DRIFTWOOD

Paving or Capping  
SIZE 1200 x 200mm  
THICKNESS 20mm



## BORDEAUX

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## CAPPING

SIZE 600 x 300mm  
THICKNESS 20mm



## MONACO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## SANTORINI

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## WHITE GRANITO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



## GREY GRANITO

Paving or Capping  
SIZE 600 x 300mm  
THICKNESS 20mm



# Ocean Bluestone... a grey with attitude

## PAVER

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm

## CAPPING

**SURFACE** Non-slip  
**SIZE** 600 x 300mm  
**THICKNESS** 25mm



Non-slip yet gentle to touch.



Smooth edge capping.

From an overcast misty grey, to thunderous deep tones when wet. Ocean Bluestone's swirls of greys, white and golds provide a finish that is truly unique. A contemporary grey option with attitude.

## Stone cladding... bringing walls to life



### EVEREST

**SIZE** 600 x 150mm



### COPPER

**SIZE** 600 x 150mm



### HAWAIIAN SWIRL

**SIZE** 600 x 150mm



### DESERT

**SIZE** 600 x 150mm



### WHITE QUARTZ

**SIZE** 600 x 150mm



Pre-cut corners are available for all colours

The beauty of natural stone is it's variation in colour. Visit our sites to see current tones.

Photos above indicate approx 600mm x 600mm section.



## Bluestone... natural steppers



### Honed surface


**SIZE** Various approx. 500 - 700mm  
**THICKNESS** 30mm





# Commercial... high-end spec solutions



10 other colours available for commercial quantity projects.



**NEW**



**MULTI SPEC  
TACTILE PAVER**  
SIZE 600 x 400mm  
THICKNESS  
30, 40, 50 or 60mm



**Suitable for a range of applications.**

## Freo Stone Paving Perth

**North**

**South**



### GREENWOOD

Display and Stock Centre  
29 Canham Way  
Greenwood W.A.



### BIBRA LAKE

Manufacturing Facility, Full Scale  
Display and Stock Centre  
139 Barrington Street  
Bibra Lake W.A.



## high tech... high quality

Freo Stone Paving utilises robotic technology to maintain a superior level of quality throughout its manufacturing operations. Combining this with only the highest grade raw materials and an experienced team, had resulted in the brand becoming the designers' popular choice Australia wide.

## CUSTOMER SERVICE

**08 9418 8404**

**info@freostone.com.au**



**Free mobile design and sample units  
to your Perth metro site or office**

**for more ideas visit  
freostone.com.au**



Our pavers comply with Australian and New Zealand Standards AS/NZS 4586:1999 and are manufactured for uniformity of shape, colour and consistency of dimensions, however you may encounter some variation. The colours in this brochure are approximate only. Products shown are correct at the time of printing. September 2024 Freo Stone ABN 30 143 880 422.